

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	35	17 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 16:49
L19	32	18 AND stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 16:49
L15	8	(filter\$3 OR discriminat\$3)SAME((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 16:47
L16	8	(filter\$3 OR discriminat\$3 OR Siev\$3)SAME((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 16:47
L17	53	(filter\$3 OR discriminat\$3 OR Siev\$3)AND((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 16:47
L14	52	(filter\$3 OR discriminat\$3)AND((e\$1mail OR mail) NEAR3 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 16:38
S10 4	3	S103 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 13:29
S10 0	172	mail NEAR2 index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 13:28
S10 2	2	S100 SAME (record SAME (append\$3 OR add\$3 OR attach\$3 OR affix\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 13:28
S10 3	212	((mail OR e\$1mail) NEAR2 index)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 13:28

S10 1	2	S100 SAME (record SAME append\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 13:26
S1	38962	(Base OR stand OR support) WITH (PDA OR (personal NEAR digital NEAR assistance) OR ((mobile OR hand\$1held OR wire\$1less) NEAR3 (device OR terminal OR phone OR telephone OR terminal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/20 13:25
S98	2	S95 AND (append\$3 SAME file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:59
S99	2	S95 AND (append\$3 SAME file) AND record	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:59
S96	2	S95 AND (append\$3 NEAR4 file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:51
S97	13	(append\$3 NEAR4 file)WITH format WITH area	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:45
S95	2	(mail OR e\$1mail)WITH append\$3 WITH file WITH format WITH index	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:43
S94	62	(mail OR e\$1mail)WITH append\$3 WITH file WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:37
S91	977	(mail OR e\$1mail)WITH index\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:36
S93	15	S92 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:18

S90	15	S89 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:17
S92	19	S91 SAME append\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:17
S89	26	S87 SAME (HTML OR text)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:01
S88	23	S87 WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 20:00
S87	87	S86 WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 19:50
S86	2935	(mail OR e\$1mail)WITH (discriminat\$3 OR filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 19:49
S85	5	filter\$3 WITH E\$1mail WITH format WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 19:48
S84	9	(classify\$3 OR discriminat\$3 OR filter\$3) WITH content WITH format WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 19:27
S83	3	classify\$3 WITH content WITH format WITH (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 19:19
S82	5	S80 AND ((fileter\$3 OR discriminat\$3)SAME format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 19:17
S81	6	S80 SAME (fileter\$3 OR discriminat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 19:04

S79	11	S78 SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 18:59
S80	197	(e\$1mail OR mail)NEAR2 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 18:59
S78	148	index\$3 WITH (email OR e-mail) WITH stor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 18:52
S76	33	(discriminat\$3 OR filter\$3) WITH classify\$3 WITH format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 18:51
S73	21	S72 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:46
S75	27	S74 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:46
S74	40	(Discriminat\$3 OR distinguish\$3 OR separate\$3 OR categoriz\$3 OR classify\$3) WITH (e\$1mail OR mail) WITH format SAME (text OR HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:45
S71	124	S70 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:37
S72	26	S70 SAME storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:36
S7	309	S6 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:33
S69	12	(mail OR e\$1mail)SAME (discriminat\$3 OR filter\$3) SAME (unit OR means OR function)SAME (text AND HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:32

S70	144	(mail OR e\$1mail)NEAR4 discrimination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:32
S68	1	(mail OR e\$1mail)NEAR6 (discriminat\$3 OR filter\$3) NEAR3 (unit OR means OR function)SAME (text AND HTML)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:23
S63	130	(mail OR e\$1mail)discriminat\$3 NEAR3 (unit OR means OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:22
S65	1	sender SAME receiver SAME theme SAME content SAME (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:21
S66	1	(sender OR from) SAME (receiver OR to OR CC) SAME theme SAME content SAME (mail OR e\$1mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:21
S67	1	S63 SAME text SAME HTML	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/18 15:21
S62	15	S61 AND (e-mail OR email).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 20:22
S60	51750	(dock\$3 NEAR3 station) OR cradle OR (base NEAR4 (PDA OR handheld OW wire\$1less))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 18:28
S61	22004	S60.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 18:28
S59	13	S58 AND @ad<"20010301"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 18:27
S58	40	S57 SAME memory SAME function	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 17:32



S57	2038	PDA WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/14 17:12
S56	24	S55 AND (e-mail OR email)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 18:34
S54	113	S53 SAME (PDA OR wire\$1less OR hand\$1held)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 18:33
S55	72	S54 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 18:33
S52	0	memory WITH (cradle OR dock) WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 18:32
S53	686	memory WITH (cradle OR dock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 18:32
S38	95	S37 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 17:06
S51	15	S50 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 17:06
S50	32	cradle SAME email	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 17:04
S48	2	S47 SAME PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/01/12 16:07
S47	20	(cradle OR dock) SAME memory SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/01/12 16:04

S44	8	cradle SAME memory SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 16:03
S45	18	cradle WITH e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 15:55
S46	6	S45 AND dock\$3 AND PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 15:55
S43	9	S42 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 15:51
S41	8	S39 AND dock\$3 AND cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 15:23
S42	23	S37 SAME memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 15:23
S40	6	S38 AND S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 14:36
S31	4498	(709/206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 14:35
S39	4498	(709/206,213,216,202).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/12 14:35
S37	185	(cradle OR dock OR base)WITH (email OR e-mail)WITH (PDA OR (hand\$1held NEAR3 device) OR mobile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 14:34

S33	22	S32 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 10:00
S36	1	S33 AND dock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 10:00
S34	76	(dock\$3 OR base) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/01/12 09:59
S35	2	S34 AND S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	OFF	2005/01/12 09:59
S30	173	(dock\$3 OR base) SAME (PDA OR (mobile NEAR3 device))SAME (email OR e-mail)SAME (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 09:58
S19	60	S18 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 09:55
S32	33	S30 AND S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/12 09:55
S29	16	S28 SAME (email OR e-mail)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:49
S28	778	dock\$3 NEAR4 cradle	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:48
S27	5	(base OR dock\$3)SAME cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:47
S24	0	(base OR dock\$3)NEAR2 e\$1mail NEAR4 cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:46



S25	0	(base OR dock\$3)WITH e\$1mail WITH cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:46
S26	0	(base OR dock\$3)SAME e\$1mail SAME cradel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:46
S17	368	(base OR dock\$3)NEAR2 E\$1MAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:45
S23	7	S21 SAME e\$1mail	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:37
S15	11	S10 AND S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:36
S21	74	dock WITH PDA	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:36
S22	43	S21 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:36
S20	7	S19 AND (e\$1mail WITH (access OR functional\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:19
S18	74	S17.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:18
S12	256	S11.tl.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:17
S16	100	(base OR dock\$3)NEAR2 EMAIL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/11 15:16

S14	1116	S11.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 17:12
S10	443147	(dock\$3 OR cradle OR base).ti	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 17:10
S11	7583	e\$1mail NEAR4 (access OR function)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 17:10
S9	3	S1 SAME (dock\$3 OR cradle)SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 17:09
S6	446	S1 SAME (dock\$3 OR cradle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 17:07
S8	55	(expand\$3 OR increas\$3) AND (capacity OR memory) AND e\$1mail AND S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 17:00
S3	70	(expand\$3 OR increas\$3) SAME (capacity OR memory) SAME e\$1mail SAME access\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 16:59
S2	26786	S1 AND @ad<"20020212"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 16:58
S5	2527	S1 AND (dock\$3 OR cradle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 16:58
S4	10	S2 AND S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2005/01/10 16:57